


PRODUCT CATALOGUE

► OUR FRS PRODUCTS



Dräger Marine & Offshore has a long history of providing dedicated support to their customers, by supplying a wide range of quality products and services to a global audience for marine and offshore. This approach facilitates a Firefighting, Rescue and Safety (FRS) equipment and service capability from a single source. The Dräger Marine & Offshore organization is built around a proven total care FRS concept.

© Copyright Dräger

All rights reserved. Reproduction in whole or part without prior written permission from Dräger is prohibited. Great care has been taken throughout the catalogue to be accurate, but Dräger cannot accept any responsibility for any errors or omissions which might occur.

All products, logos, names and technologies are trademarks and/or registered trademarks of their respective companies.

Hoogvliet, 2019

Your safety
is our passion.



Supporting your safety culture since 1889 – FRS equipment, training and service from Dräger.

GRP storage cabinet: DMO-01

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material, these cabinets are rated to IPX6 as certified by TÜV. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- Fireman's equipment (5 complete sets incl. SCBA)
- Survival suits (up to 40 pcs depending on size)
- Life jackets (up to 70 pcs depending on type)
- Emergency response team equipment
- Helideck crash equipment (incl. ladder & grab hook)

Options

- Shelves / bulkhead / clothing bar
- Ventilation
- Flame retardant version
- Heaters (conventional / ATEX approved)
- Lighting (conventional / ATEX approved)
- Lettering

GRP storage cabinet: DMO-01

IPX6 rated and TÜV certified

TECHNICAL SPECIFICATIONS

Dimensions	1800 x 800 x 2030 mm (LxWxH)
Aperture dimensions	1610 x 750 x 1760 mm (LxWxH)
Angle of door opening	90°
Weight	95 kgs
Material	GRP
Color	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IPX6
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	White
Approvals	CE / TÜV

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP storage cabinet: DMO-01	1	SG02010
Add. costs DMO-01: FE layout	1	SG02013
Add. costs DMO-01: Shelves / bulkhead	1	SG02012

GRP storage cabinet: DMO-01

Description	Unit Sales	Articlenr
Add. costs DMO-01: Fire retardent	1	SG02011
GRP FS Cabinet: DMO-01 - Roller Shutter	1	SG02035
Add. Costs DMO-01 (RS): FE layout	1	SG02038
Add. Costs DMO-01 (RS): Shelves / bulkhead	1	SG02037
Add. costs DMO-01 (RS): Fire retardent	1	SG02036

GRP storage cabinet: DMO-05

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material, these cabinets are rated to IPX6 as certified by TÜV. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- Fireman's equipment (2 complete sets incl. SCBA)
- Fireman's clothing (4 sets)
- Survival suits (up to 20 pcs depending on size)
- Life jackets (up to 35 pcs depending on type)
- Emergency response team equipment

- Helideck crash equipment (incl. ladder & grab hook)

Options

- Shelves / bulkhead / clothing bar
- Ventilation
- Flame retardant version
- Heaters (conventional / ATEX approved)
- Lighting (conventional / ATEX approved)
- Lettering

GRP storage cabinet: DMO-05

IPX6 rated and TÜV certified

TECHNICAL SPECIFICATIONS

Dimensions	1035 x 800 x 2030 mm (LxWxH)
Aperture dimensions	810 x 750 x 1750 mm (LxWxH)
Angle of door opening	90°
Weight	57,5 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange 2009 Lifesaving White RAL 9010
IP rating	IPX6
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	White
Approvals	CE / TÜV

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP storage cabinet: DMO-05	1	SG02025
Add. costs DMO-05: Shelves	1	SG02002
Add. costs DMO-05: Fire retardent	1	SG02026
GRP FS Cabinet: DMO-05 Roller Shutter	1	SG02045
Add. costs DMO-05 (RS): Fire retardent	1	SG02046

GRP storage cabinet: DMO-07

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material, these cabinets are rated to IPX6 as certified by TÜV. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- Moveable fire extinguisher (50 kgs DP / 45ltr F)

Options

- Ventilation
- Flame retardant version
- Heaters (conventional / ATEX approved)
- Lettering

GRP storage cabinet: DMO-07

IPX6 rated and TÜV certified

TECHNICAL SPECIFICATIONS

Dimensions	1000 x 1050 x 1580 mm (LxWxH)
Aperture dimensions	780 x 990 x 1410 mm (LxWxH)
Angle of door opening	90°
Weight	55 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IPX6
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	White
Approvals	CE / TÜV

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP storage cabinet: DMO-07	1	SG02075
Add. costs DMO-07: Fire retardant	1	SG02076
Add. costs DMO-07: Shelves	1	SG02002

GRP storage cabinet: DMO-09

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material, these cabinets are rated to IPX6 as certified by TÜV. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- Fire hydrant cabinet (4 hoses / spray nozzles / spanners)
- Survival suits (up to 20 pcs depending on type)
- Life jackets (up to 30 pcs depending on type)
- Fireman's clothing (4 sets folded)
- SCBA storage (2 sets + spare cylinder)
- Chemical protection equipment

- Electrical safety kit
- Fall protection equipment / descent units (donut type)

Options

- Shelves
- Ventilation
- Flame retardant version
- Heaters (conventional / ATEX approved)
- Lettering

GRP storage cabinet: DMO-09

IPX6 rated and TÜV certified

TECHNICAL SPECIFICATIONS

Dimensions	825 x 602 x 1277 mm (LxWxH)
Aperture dimensions	610 x 550 x 1010 mm (LxWxH)
Angle of door opening	90°
Weight	30 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL9010
IP rating	IPX6
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	White
Approvals	CE / TÜV

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP storage cabinet: DMO-09, single door	1	SG02015
Add. costs DMO-09: Shelves	1	SG02002
Add. costs DMO-09: Fire retardent	1	SG02016

GRP storage cabinet: DMO-11

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material, these cabinets are rated to IPX6 as certified by TÜV. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- Basket stretchers / Scoop stretchers
- First aid kit
- Stretcher blankets
- Safety torches
- Radio's
- Rescue materials

Options

- Shelves
- Ventilation
- Flame retardant version
- Heaters (conventional / ATEX approved)
- Lighting (conventional / ATEX approved)
- Lettering

GRP storage cabinet: DMO-11

IPX6 rated and TÜV certified

TECHNICAL SPECIFICATIONS

Dimensions	800 x 600 x 2400 mm (LxWxH)
Aperture dimensions	615 x 545 x 2175 mm (LxWxH)
Angle of door opening	90°
Weight	50 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IPX6
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	White
Approvals	CE / TÜV

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP storage cabinet: DMO-11, single door	1	SG02020
Add. costs DMO-11: Shelves	1	SG02002
Add. costs DMO-11: Fire retardent	1	SG02021
GRP FS Cabinet: DMO-11 Roller Shutter	1	SG02040
Add. costs DMO-11(RS): Fire retardent	1	SG02041

GRP storage cabinet: DMO-12

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material, these cabinets are rated to IPX6 as certified by TÜV. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- Basket stretchers / Scoop stretchers
- First aid kit
- Stretcher blankets
- Safety torches
- Radio's
- Rescue materials

Options

- Shelves
- Ventilation
- Flame retardant version
- Heaters (conventional / ATEX approved)
- Lighting (conventional / ATEX approved)
- Lettering

GRP storage cabinet: DMO-12

IPX6 rated and TÜV certified

TECHNICAL SPECIFICATIONS

Dimensions	800 x 300 x 2400 mm (LxWxH)
Aperture dimensions	615 x 245 x 2175 mm (LxWxH)
Angle of door opening	90°
Weight	40 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IPX6
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	White
Approvals	CE / TÜV

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP storage cabinet: DMO-12, single door	1	SG02050
Add. costs DMO-12: Fire retardent	1	SG02051
GRP FS Cabinet: DMO-12 (RS) Roller Shutter	1	SG02055
Add. Costs DMO-12 (RS): Fire retardant	1	SG02056

GRP storage cabinet: DMO-21

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material, these cabinets are rated to IPX6 as certified by TÜV. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- Personal grab bag

Options

- Shelve

- Ventilation
- Flame retardant version
- Heaters (conventional / ATEX approved)
- Lettering

GRP storage cabinet: DMO-21
IPX6 rated and TÜV certified

TECHNICAL SPECIFICATIONS

Dimensions	280 x 280 x 170 mm (LxWxH)
Angle of door opening	90°
Weight	1.36 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IPX6
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	White
Approvals	CE / TÜV

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP WM Cabinet: DMO-21	1	03120204

GRP storage cabinet: DMO-33

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material, these cabinets are rated to IPX6 as certified by TÜV. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- Eyewash bottles
- Safety torches
- Escape masks
- Descent units (donut type)

Options

- Shelve
- Ventilation
- Flame retardant version
- Heaters (conventional / ATEX approved)
- Lettering

GRP storage cabinet: DMO-33

IPX6 rated and TÜV certified

TECHNICAL SPECIFICATIONS

Dimensions	600 x 300 x 600 mm (LxWxH)
Aperture dimensions	525 x 225 x 260 mm (LxWxH)
Angle of door opening	90°
Weight	11 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IPX6
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	White
Approvals	CE / TÜV

ORDER INFORMATION

Description	Unit Sales	Article nr
GRP WM Cabinet: DMO-33 Single Door	1	SG02060
Add. costs DMO-33: Fire retardent	1	SG02061

GRP storage cabinet: DMO-35

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material, these cabinets are rated to IPX6 as certified by TÜV. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- Fire extinguisher (1 pcs DP/F/CO2)
- Survival suit (1 pcs)
- Life jacket (4 pcs inflatables)
- Escape masks (up to 10 pcs depending on type)

- Emergency Escape Breathing Apparatus

Options

- Flame retardant version
- Heaters (conventional / ATEX approved)
- Lettering

GRP storage cabinet: DMO-35

IPX6 rated and TÜV certified

TECHNICAL SPECIFICATIONS

Dimensions	475 x 250 x 980 mm (LxWxH)
Aperture dimensions	335 x 210 x 830 mm (LxWxH)
Angle of door opening	90°
Weight	12,5 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IPX6
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	White
Approvals	CE / TÜV

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP WM storage cabinet: DMO-35, single door	1	SG02030
Add. costs DMO-35: Fire retardent	1	SG02031

GRP storage cabinet: DMO-36

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material, these cabinets are rated to IPX6 as certified by TÜV. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- SCBA c/w cylinder and spare cylinder
- Emergency Escape Breathing Apparatus (2pcs)
- Survival suits (up to 2 pcs depending on type)
- Life jackets (up to 4 pcs depending on type)
- Chemical protection equipment

- Fall protection equipment / descent units (donut type)

Options

- Shelf
- Ventilation
- Flame retardant version
- Heaters (conventional / ATEX approved)
- Lettering

GRP storage cabinet: DMO-36

IPX6 rated and TÜV certified

TECHNICAL SPECIFICATIONS

Dimensions	475 x 350 x 980 mm (LxBxH)
Aperture dimensions	475 x 310 x 830 mm (LxWxH)
Angle of door opening	90°
Weight	15 kgs
Material	GRP
Color	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IPX6
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	White
Approvals	CE / TÜV

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP WM Cabinet: DMO-36 Single Door Size: 980 x 475 x 350 mm (h x w x d)	1	SG02070
Add. Costs DMO-36: Fire retardant	1	SG02071

GRP storage cabinet: DMO-37

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material, these cabinets are rated to IPX6 as certified by TÜV. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- Fire extinguisher (1 pcs DP/F/CO2)
- Survival suit (1 pcs)
- Life jacket (4 pcs inflatables)
- Escape masks (up to 10 pcs depending on type)

- Emergency Escape Breathing Apparatus

Options

- Flame retardant version
- Heaters (conventional / ATEX approved)
- Lettering

GRP storage cabinet: DMO-37

IPX6 rated and TÜV certified

TECHNICAL SPECIFICATIONS

Dimensions	380 x 278 x 810 mm (LxWxH)
Aperture dimensions	230 x 210 x 650 mm (LxWxH)
Angle of door opening	90°
Weight	10 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IPX6
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	White
Approvals	CE / TÜV

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP WM storage cabinet: DMO-37, single door	1	SG02105
Add. costs DMO-37: Fire retardent	1	SG02106

GRP storage cabinet: DMO-55

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material, these cabinets are rated to IPX6 as certified by TÜV. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- Helideck crash equipment (excl. ladder/ rescue hook)
- Fall protection equipment / descent units (donut type)

Options

- Ventilation
- Flame retardant version
- Heaters (conventional / ATEX approved)
- Lettering

GRP storage cabinet: DMO-55

IPX6 rated and TÜV certified

TECHNICAL SPECIFICATIONS

Dimensions	1024 x 500 x 600 mm (LxWxH)
Aperture dimensions	910 x 359 x 560 mm (LxWxH)
Angle of door opening	90°
Weight	20 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IPX6
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	White
Approvals	CE / TÜV

ORDER INFORMATION

Description	Unit Sales	Article nr
GRP storage cabinet: DMO-55 Hinged Lid	1	SG02110
Add. Costs DMO-55: Fire retardant	1	SG02111

GRP storage cabinet: DMO-130

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- Grab bags
- Safety torches
- Filter masks

- Escape masks

Optional

- Lettering

GRP storage cabinet: DMO-130

To store e.g. grab bags, safety torches

TECHNICAL SPECIFICATIONS


Dimensions	136 x 280 x 280 mm (DxWxH)
Aperture dimensions	120 x 200 x 200 mm (DxWxH)
Angle of door opening	100°
Weight	3 kgs
Material	GRP
Color	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IP55
Door catch	Stainless steel
Door handle	Protex fastener
Hinges	SS 316
Seal	Neoprene
Reinforcement	Core material
Lettering	White
Approvals	CE

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP storage cabinet: DMO-130	1	SG02080
Add. costs DMO-130, fire retardant	1	SG02081

GRP storage cabinet: DMO-131

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- 2.5 kgs or 4.5 kgs lifebuoy
- Throwing line
- Safety light

Optional

- Lettering

GRP storage cabinet: DMO-131

To store lifebuoy

TECHNICAL SPECIFICATIONS

Dimensions	125 x 900 x 900 mm (DxWxH)
Aperture dimensions	125 x 900 x 900 mm (DxWxH)
Angle of door opening	100°
Weight	27,5 kgs
Material	GRP
Color	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IP55
Door catch	Stainless steel
Door handle	SS 316
Hinges	SS 316
Seal	Neoprene
Reinforcement	Core material
Lettering	White
Approvals	CE

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP storage cabinet: DMO-131	1	SG02085
Add. costs DMO-131, fire retardant	1	SG02086

GRP storage cabinet: DMO-132

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- PPE equipment
- Breathing apparatus
- Fire hoses and nozzles

Optional

- Lettering
- Straps
- Shelve
- Ventilator

GRP storage cabinet: DMO-132

To store PPE, BA, fire hoses and nozzles

TECHNICAL SPECIFICATIONS

Dimensions	285 x 485 x 810 mm (DxWxH)
Aperture dimensions	275 x 410 x 740 mm (DxWxH)
Angle of door opening	100°
Weight	12,5 kgs
Material	GRP
Color	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IP55
Door catch	Stainless steel
Door handle	Protex fastener
Hinges	SS 316
Seal	Neoprene
Reinforcement	Core material
Lettering	White
Approvals	CE

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP storage cabinet: DMO-132	1	SG02090
Add. costs DMO-132, fire retardant	1	SG02091

GRP storage cabinet: DMO-133

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- PPE equipment
- Electrical rescue kit
- BA set
- Fire hoses and nozzles

Optional

- Lettering
- Shelf
- Ventilator

GRP storage cabinet: DMO-133

To store PPE or BA sets

TECHNICAL SPECIFICATIONS

Dimensions	350 x 675 x 1075 mm (DxWxH)
Aperture dimensions	Not available
Angle of door opening	100°
Weight	20 kgs
Material	GRP
Color	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IP55
Door catch	SS316
Door handle	SS 316
Hinges	SS 316
Seal	Neoprene
Reinforcement	Core material
Lettering	White
Approvals	CE

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP storage cabinet: DMO-133	1	SG02095
Add. costs DMO-133, fire retardant	1	SG02096

GRP storage cabinet: DMO-134

Dräger Marine & Offshore cabinets are designed for tough offshore conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store

- PPE equipment
- Escape masks
- Life jacket

- Survival suit

Optional

- Lettering

GRP storage cabinet: DMO-134

To store PPE equipment, escape masks, life jacket or survival suit

TECHNICAL SPECIFICATIONS

Dimensions	245 x 385 x 535 mm (DxWxH)
Aperture dimensions	235 x 370 x 515 mm (DxWxH)
Angle of door opening	100°
Weight	7,5 kgs
Material	GRP
Color	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
IP rating	IP55
Door catch	SS316
Door handle	SS 316
Hinges	SS 316
Seal	Neoprene
Reinforcement	Core material
Lettering	White
Approvals	CE

ORDER INFORMATION

Description	Unit Sales	Articlenr
GRP storage cabinet: DMO-134	1	SG02100
Add. costs DMO-134, fire retardant	1	SG02101

T-card cabinet: DMO-135

The T-card cabinet is being used for evacuation purposes on board of a platform.



Features

- Polyester laminate construction, 3 mm thick
- High gloss outside finish (RAL6002)
- Inside fibre structure finish (RAL6002)
- 2 Stainless steel hinges
- 2 Stainless steel fasteners
- Perspex window

- 148 Card slots, including t-cards

Optional

- Fire retardancy
- An other (RAL) colour
- EPDM seal

T-card Cabinet

148 slots including t-cards

TECHNICAL SPECIFICATIONS

Dimensions	973 x 453 x 120 mm (HxWxD)
Aperture dimensions	575 x 410 x 115 mm (HxWxD)
Angle of door opening	100°
Weight	10 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
Door handle	Protex fastener
Hinges	SS 316
Reinforcement	Core material
Lettering	White
Approvals	CE

ORDER INFORMATION

Description	Unit Sales	Article nr
T-card Cabinet: DMO-135	1	SG02003

Firehose Safety Cabinet, polyester: DMO-136

Safety cabinet to store fire hose, branch pipe and Storz coupling spanners. If quality, finish and design are important, the best choice is a polyester cabinet.



Features

Dräger has a diverse range of fire hose cabinets. The outside is finished to a high gloss (RAL 3000). The inside is finished fibre structure also in RAL 3000. All the cabinets are finished off with stainless steel hinges and fasteners.

Accessories

- Fire hose
- Spray nozzle

- Coupling
- Coupling spanner
- All accessories need to be ordered separately

Specific requirements

All the cabinets can be finished off to your own specific requirements. For example, rivets (aluminium/stainless) stainless nuts, bolts and other various hardware.

Safety Cabinet, polyester

Fire hose, branch pipe and spanner cabinet

TECHNICAL SPECIFICATIONS

Dimensions	640 x 540 x 170 mm (LxWxD), type AP-V07
Aperture dimensions	540 x 490 x 155 mm (LxWxD), type AP-V07
Angle of door opening	100°
Weight	7 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
Door handle	Protex fastener
Hinges	SS 316
Reinforcement	Core material
Lettering	White
Approvals	CE

ORDER INFORMATION

Description	Unit Sales	Article number
Firehose Safety Cabinet, type AP-V07	1	03110007
Firehose Safety Cabinet, type AP-V08	1	03110008
Fire hose - Storz - Syn / LM / N66 / 2,0" 20 meter, Red	1	SG00542
Unifire spray V-12 Nozzle, jet / foam	1	SG01011
Storz-arm: LM-N66-2" Bi (RA), with rubber seal	1	SG00727
Storz-arm: LM-N66-2" Bi (RA), with rubber seal	1	SG00892

Safety Cabinet for fireman's axe: DMO-137

Cabinet to store firemen's axe. Fireman's axe needs to be ordered separately.



Features

- Outside finished to a high gloss ral 3000
- Inside is finished fibre structure
- Comes standard with perspex window
- Bracket for fire axe
- 3 Stainless steel hinges

- 2 Stainless steel fasteners

Optional extras

- Fire retardancy
- An other (RAL) colour
- EPDM seal

Safety Cabinet

To store fireman's axe

TECHNICAL SPECIFICATIONS

Dimensions	1020 x 420 x 100 mm (HxWxD)
Aperture dimensions	1000 x 380 x 90 mm (HxWxD)
Angle of door opening	100°
Weight	10 kgs
Material	GRP
Colour	Safety Green RAL 6002 Firefighting Red RAL 3000 Safety Orange RAL 2009 Lifesaving White RAL 9010
Door handle	Protex fastener
Hinges	SS 316
Reinforcement	Core material
Approvals	CE

ORDER INFORMATION

Description	Unit Sales	Article nr
Safety Cabinet for fireman's axe, excluding axe	1	SG02005
Fireman's axe, 900 mm, Wood	1	SG03805
Leather pouch for fire axe 900 mm	1	SG03806

(Fire extinguishing) Equipment cabinet JBWE/A-70

These polyethylene cabinets can be used for multi purposes such as storage of fire or safety equipment. Deliverable in various sizes, with a green or red door.



Applications

- storage and transshipment
- (international) shipping
- inland shipping
- marine
- offshore
- petrochemical industry

Features

- truck or wall mounting

- suitable for 6 kg fire extinguishers
- rubber seal and polycarbonate windows
- left or right hinged mounting
- buckle web strap
- plastic toggles, lynch pins and hinge pins as standard
- fire extinguisher label supplied loose

Optional

- strap for securing the extinguisher

Fire Extinguisher Cabinet JBWE/A-70
Deliverable with red or green door

TECHNICAL SPECIFICATIONS

Type	Jonesco
Dimensions	300 x 700 x 253 mm
Color	Cabinet : Black Door: Red or green

ORDER INFORMATION

Description	Unit Sales	Articlenr
Fire Extinguisher Cabinet JBWE-70, red door	1	SG02423
Safety Cabinet JBWA-70, green door	1	SG02421

(Fire extinguishing) Equipment cabinet JBXE-83

These polyethylene cabinets can be used for multi purposes such as storage of fire or safety equipment. Deliverable in various sizes, with a green or red door.



Applications

- (international) shipping
- inland shipping
- marine
- offshore
- petrochemical industry

Features

- made from environmental friendly and fully recyclable PE
- strong and light weight design
- resistant to UV and most chemicals
- high impact strength

- cabinet suitable for all types of portable extinguishers up to 12 kg
- wall mounting
- fitted with poly carbonate window
- door seal rubber/epdm
- left or right hinged door
- plastic toggle, lynch pin and hinge pin as standard

Installation

Holes for fixation of the cabinet to be drilled during installation.

(Fire extinguishing) equipment cabinet JBXE-83

For dry powder, foam or CO₂ extinguishers

TECHNICAL SPECIFICATIONS

Type	Brandblusapparaat kast JBXE-83
Dimensions	830 x 330 x 265 mm
Color	Cabinet : Black Door: Red or green

ORDER INFORMATION

Description	Unit Sales	Articlenr
Polyethylene fire extinguisher cabinet JBXE-83, red door	1	SG02432

(Fire extinguishing) Equipment cabinet JBDE/A-72

Wall cabinet to hold all sorts of safety equipment such as emergency escape masks, filters, protective clothing (helmets, gloves, overalls), first aid materials. The cabinets can be delivered with a red or green door.



Applications

- (international) shipping
- inland shipping
- marine
- offshore
- petrochemical industry

Features

- wall cabinet made from environmental friendly
- fully recyclable PE
- strong and light weight design

- resistant to UV and most chemicals
- high impact strength
- wall mounting
- fitted with poly carbonate window
- door seal rubber/epdm
- left or right hinged door
- plastic toggle, lynch pin and hinge pin as standard

Cabinet suitable for all sorts of safety materials

(Fire extinguishing) equipment cabinet JBDE-72

To store a fire extinguisher and hose with supplies

TECHNICAL SPECIFICATIONS

Dimensions	720 x 540 x 270 mm
Color	Cabinet : Black Door: Red

ORDER INFORMATION

Description	Unit Sales	Articlenr
Fire Extinguisher Cabinet JBDE-72, red door	1	SG02426
Safety Cabinet JBDA-72, green door	1	SG02425

(Fire extinguishing) Equipment cabinet JBDE/A-85

These polyethylene cabinets can be used for multi purposes such as storage of fire or safety equipment. Deliverable in various sizes, with a green or red door.



Applications

- (international) shipping
- inland shipping
- marine
- offshore
- petrochemical industry

Features

- transport and wall cupboard for 2 fire extinguishers to 12 kg or 1 and various extinguishing fire

- material color and UV resistant
- the cabinet is fitted with rubber seals
- equipped with 1 twist closure
- very strong and lightweight material
- resistant to most chemicals and oils
- made of (recyclable) PE
- very suitable for placing in the open
- provided with rubber seal

Optional

- strap for securing the extinguisher

(Fire extinguishing) equipment cabinet JBDE/A-85

For 12 kilo dry powder or 9 liter foam or fire hose and supplies

TECHNICAL SPECIFICATIONS

Type	Jonesco
Dimensions	Outside: 850 x 540 x 375 mm Inside: 760 x 530 x 300 mm
Color	Cabinet : Black Door: Red or green

ORDER INFORMATION

Description	Unit Sales	Articlenr
Fire Extinguisher Cabinet JBDE-85, red door	1	SG02436
Safety Cabinet JBDA-85, green door	1	SG02435

